


MARCH 2014



stage & audio
equipment



soundSation

Feel the Sound

stage & audio equipment

• ITALY MEANS CREATIVITY, INNOVATION, VITALITY. ITALY MEANS STYLE.

• In the globalization era, Soundsation proudly claims its origins, with eyes set on the horizon but heart beating in its enchanting homeland. Born in 2005, Soundsation is today a reliable brand for a growing number of musicians and music lovers, an Italian team where new ideas, new projects and enthusiasm join together, day after day. Step inside Soundsation's world, and get ready to Feel the sound.

INDEX

MIXERS		PRO DJ.....	70
Passive Mixers.....	4		
Powered Mixers.....	10	STANDS	
Accessories.....	11	String Instruments.....	74
		Bow Instruments.....	77
POWER AMPS.....	14	Wind Instruments.....	78
		Accordions.....	79
SPEAKERS		Keyboard Instruments.....	80
Active Speakers.....	20	Music Stands.....	82
Passive Speakers.....	26	Speakers.....	84
		Microphones.....	86
PA SYSTEMS.....	34	Piano Benches.....	88
STUDIO MONITORS.....	38	CABLES	
		Instrument cables.....	94
MICROPHONES		Microphone cables.....	95
Condenser microphones.....	44	Speaker cables.....	95
Dynamic microphones.....	48	Phono Feed cables.....	96
Installation microphones.....	52	Stompbox cables.....	96
		Adaptor cables.....	97
HEADPHONES.....	58	MIDI cables.....	98
		USB cables.....	98
AUDIO TOOLS		AES EBU & DMX cables.....	98
USB Interfaces.....	62	Cable Reels.....	99
Smart Tools.....	63	Connectors.....	100
		Adaptors.....	103
PROCESSORS.....	66	Stageboxes.....	106
		Power Suppliers.....	107

1 MIXERS



Passive Mixers

NEOMIX series

» Neomix series is the latest mixer series from Soundsation, conceived for a wide range of applications from live events to studio recording. Built with high quality materials and components, all models comes with super-compact design and packed with all the features you need. FX models are equipped with DSP offering tons of high quality echoes, reverb, flangers and so on. U models includes an USB full duplex sound card and a digital I/O for your recording applications. Choose the best configuration which fits your needs.



NEOMIX-202FX

4 channels high quality super compact mixer with noiseless preamp and 24-Bit FX processor

- » 8 total inputs
- » 2 mono channel, 2 stereo channels, 1 aux in
- » 2 noiseless Mic preamp with +48v phantom power and gain control
- » Balanced inputs for low noise and signal integrity
- » 3 band Eq on mono all channels
- » 24 bit digital Multi Effect Processor with 100 programs
- » Headphone monitor out with level control
- » TRS main out, RCA aux out stereo effect send stereo out
- » Peak led indicator
- » Rugged metal case
- » High quality and precise potentiometers
- » Super compact dimensions and weight for extreme portability



NEOMIX-102

3 channels high quality super compact mixer with noiseless preamp and phantom power

- » 7 total inputs
- » 1 mono channel, 2 stereo channels, 1 aux in
- » 1 noiseless Mic preamp with +48v phantom power
- » Balanced inputs for low noise and signal integrity
- » 3 band Eq on mono channel
- » Headphone monitor out with level control
- » TRS main out and RCA aux out
- » Peak led indicator
- » Rugged metal case
- » High quality and precise potentiometers
- » Super compact dimensions and weight for extreme portability



NEOMIX-202

4 channels high quality super compact mixer with noiseless preamp and phantom power

- » 8 total inputs
- » 2 mono channel, 2 stereo channels, 1 aux in
- » 2 noiseless Mic preamp with +48v phantom power and gain control
- » Balanced inputs for low noise and signal integrity
- » 3 band Eq on all channels
- » Headphone monitor out with level control
- » TRS main out, RCA aux out, stereo effect return out
- » Peak led indicator
- » Rugged metal case
- » High quality and precise potentiometers
- » Super compact dimensions and weight for extreme portability

Passive Mixers

NEOMIX series



NEOMIX-402UFX

6 channels High quality compact mixer with noiseless preamp, FX processor, USB I/O soundcard

- » 12 total inputs
- » 4 mono channel, 4 stereo channels, 1 stereo aux in
- » 4 noiseless Mic preamp with +48v phantom power, gain control and low cut filter
- » Balanced inputs for low noise and signal integrity
- » Stereo aux return
- » 3 band Eq on all channels
- » 24 bit digital Multi Effect Processor with 100 programs
- » 2 aux send per channel, 1 switchable pre/post fader
- » Headphone monitor out with level control
- » XLR main out, RCA aux out, stereo effect send stereo out, ALT 3-4 out, monitor out
- » Clip Led indicator and mute/solo function on each channel
- » Low latency USB I/O soundcard with USB input assignable to channel
- » Switchable Optical/coaxial digital input and coaxial digital output for ultimate recording flexibility
- » Rugged metal case
- » High quality and precise potentiometers and 60 mm faders
- » Recording software included for PC and MAC



NEOMIX-802UFX

10 channels High quality compact mixer with noiseless preamp, FX processor, USB I/O soundcard

- » 16 total inputs
- » 8 mono channel, 2 stereo channels, 1 stereo aux in
- » 8 noiseless Mic preamp with +48v phantom power, gain control and low cut filter
- » Balanced inputs for low noise and signal integrity
- » Stereo aux return
- » 3 band Eq on all channels
- » 24 bit digital Multi Effect Processor with 100 programs
- » 2 aux send per channel, 1 switchable pre/post fader
- » Headphone monitor out with level control
- » XLR main out, RCA aux out, stereo effect send stereo out, ALT 3-4 out, monitor out
- » Clip Led indicator and mute/solo function on each channel
- » Low latency USB I/O soundcard with USB input assignable to channel
- » Switchable Optical/coaxial digital input and coaxial digital output for ultimate recording flexibility
- » Rugged metal case
- » High quality and precise potentiometers and 60 mm faders
- » Recording software included for PC and MAC

Passive Mixers

UIVO series

» UIVO series professional mixing consoles are studied both for Live and Studio applications where extensive input section is required. Their noise-less pre-amp ensure an excellent S/N ratio. All the components are top quality starting from the 80mm channel faders that prevents any possible noise during the volume regulation. UIVO features 4 AUX sends with relative RETURNS as well as 4 SUB-Groups useful for the routing of more channels to an external device or to the MAIN. Using the 2.0 USB Out is possible to record in real time in any DAW becoming a powerful resource in Recording Studio. The ultra-rugged construction allows to use this workstation in the open air with any weather condition.



NEW VIVO-16UFX

16 channels High quality Professional mixer with noiseless preamp.
4 Sub-Groups, FX processor, USB I/O soundcard

- » 16 total inputs
- » 8 mono channel, 4 stereo channels, 4 Sub-groups
- » 10 noiseless Mic preamp with +48v phantom power, gain control and lo-cut filter
- » Balanced inputs for low noise and signal integrity
- » 2 AUX Sends (Pre or Post) and 2 FX sends (4 total independent sends)
- » 3 band Eq with parametric filter on Mid Frequencies
- » 24 bit digital Multi Effect Processor with 100 programs
- » 2 Track-in assignable to MAIN
- » Adjustable Headphone monitor out and Control Room Out
- » band Graphic Eq on Master Out
- » Clip Led indicator and mute/solo function on each channel, 12 segment UU Meter on Master Out
- » Low latency USB I/O soundcard with USB input assignable to channel
- » Routing of each channel on MAIN, SUB 1-2, SUB 3-4 or SOLO mode
- » Rugged metal case for Live shows in the open air
- » High quality and precise 80 mm faders

NEW VIVO-20UFX

20 channels High quality Professional mixer with noiseless preamp.
4 Sub-Groups, FX processor, USB I/O soundcard

- » 20 total inputs
- » 12 mono channel, 4 stereo channels, 4 Sub-groups
- » 14 noiseless Mic preamp with +48v phantom power, gain control and lo-cut filter
- » Balanced inputs for low noise and signal integrity
- » 2 AUX Sends (Pre or Post) and 2 FX sends (4 total independent sends)
- » 3 band Eq with parametric filter on Mid Frequencies
- » 24 bit digital Multi Effect Processor with 100 programs
- » 2 Track-in assignable to MAIN
- » Adjustable Headphone monitor out and Control Room Out
- » band Graphic Eq on Master Out
- » Clip Led indicator and mute/solo function on each channel, 12 segment UU Meter on Master Out
- » Low latency USB I/O soundcard with USB input assignable to channel
- » Routing of each channel on MAIN, SUB 1-2, SUB 3-4 or SOLO mode
- » Rugged metal case for Live shows in the open air
- » High quality and precise 80 mm faders



Powered Mixers

PMX series

» PMX-4 is a compact powered mixer bringing all the feature needed for small amplification systems. Its four channels, each with equalization and effect controls, can be used to connect microphones or instruments. AUX input is perfect to connect MP3 players, smartphones or other devices. Easy to setup, finds its best applications in school and small conference rooms.



PMX-4

4 channel powered mixer with ambient effect

- » 4 channel powered mixer
- » 2x100W amplification
- » Four microphone/line channels with 2 band equalizer and ambient effect
- » One AUX in channel with volume control
- » Master section with 3 band equalizer, volume and effect level
- » Jack 6.3 left and right speaker outputs
- » Effect send/return to connect external effect units
- » Sturdy MDF structure with metal corners

Accessories



LLMX-XLR

Mixing console LED lamp with XLR connector

- » Easy and quick installation via XLR connection
- » Powered by your mixer phantom power
- » Easy to direct the light thanks to the flexible body
- » LED lighting technology



LLMX-BNC

Mixing console LED lamp with BNC connector

- » Easy and quick installation via BNC connection
- » Powered by your mixer BNC connector. No need to use XLR channels
- » Easy to direct the light thanks to the flexible body
- » LED lighting technology

2 POWER AMPS



Power Amps

ZEUS D series

» The new digital power amp range ZEUS D represents a big step-ahead in the SOUNDSATION pro audio range. Thanks to S.P.S.M. (Switching Power Supply Mode) technology it's possible to get amazing power while keeping the size and weight significantly reduced compared to conventional models in class A / B. Construction quality and meticulous choice of components, along with advanced protection systems, ensure best performance and extreme reliability even in the case of extraordinary stress.



NEW

D300

300 W Class D 2 Channels Power Amplifier

- » 300 W Max Power (bridge 8 Ohm)
- » Forced Air Cooling with variable speed adjustment
- » Balanced XLR and 5 way binding Inputs
- » 4-poles Speakon Outputs
- » Protection: Thermal, Overload and DC output
- » LED indicators: Power, Signal, Clip
- » Configuration: Stereo, Bridge



D900

900 W Class D 2 Channels Power Amplifier

NEW

- » 900 W Max Power (bridge 8 Ohm)
- » Forced Air Cooling with variable speed adjustment
- » Balanced XLR and TRS Jack
- » 4-poles Speakon and 5 way binding Outputs
- » Protection: Thermal, Overload and DC output
- » LED indicators: Power, Signal, Clip
- » Configuration: Stereo, Bridge



NEW

D1800

1800 W Class D 2 Channels Power Amplifier

- » 1800 W Max Power (bridge 8 Ohm)
- » Forced Air Cooling with variable speed adjustment
- » Balanced XLR
- » 4-poles Speakon Outputs
- » Protection: Thermal, Overload, DC output and Broken component
- » LED indicators: Power, Error, Mute, Clip, Signal
- » Configuration: Stereo, Bridge



D3600

3600 W Class D 2 Channels Power Amplifier

NEW

- » 3600 W Max Power (bridge 8 Ohm)
- » Forced Air Cooling with variable speed adjustment
- » Balanced XLR
- » 4-poles Speakon Outputs
- » Protection: Thermal, Overload, DC output and Broken component
- » LED indicators: Power, Error, Mute, Clip, Signal
- » Configuration: Stereo, Bridge



Power Amps

ZEUS series



ZEUSI-300

300 Watt power amplifier

- » 2 x 150 Watt into 4 Ohm, 2 x 100 Watt into 8 Ohm
- » Stereo or bridge mode operations
- » Power supply protection, thermal cut off and short circuit protection for full safety use
- » Variable speed fan for cooling
- » Level control on each channel
- » Jack TRS or RCA input
- » Speakon and binding post outputs
- » LED indicators for power (white), protection (yellow), clip (red)
- » Extremely rugged, all steel case and front panel
- » Rack 2U format for convenient installation



ZEUSI-600

600 Watt power amplifier

- » 2 x 300 Watt into 4 Ohm, 2 x 200 Watt into 8 Ohm
- » Stereo or bridge mode operations
- » Power supply protection, thermal cut off and short circuit protection for full safety use
- » Variable speed fan for cooling
- » Level control on each channel
- » Jack TRS or RCA input
- » Speakon and binding post outputs
- » LED indicators for power (white), protection (yellow), clip (red)
- » Extremely rugged, all steel case and front panel
- » Rack 2U format for convenient installation



ZEUSI-2500MKII

2500 Watt power amplifier



- » 2 x 7500 Watt into 4 Ohm, 2 x 5300 Watt into 8 Ohm
- » Stereo, bridge or parallel mode operations
- » Power supply protection, thermal cut off, up/down transient, slow start and short circuit protection for full safety use
- » Rack 2U format for convenient installation
- » Variable speed cooling fan
- » Level control on each channel
- » Jack TRS or XLR input
- » Speakon and TRS Jacks
- » LED indicators for power (blue), protection (blue), clip (red)
- » Extremely rugged, all steel case and front panel



Power Amps

ZEUS H series



H5000

5000 W Class H 4 Channels Power Amplifier

- » 5000 W Max Power
- » Forced Air Cooling with variable speed adjustment
- » Balanced XLR
- » 4-poles Speakon Outputs
- » Protection: Thermal, Overload, DC output and Broken component
- » LED indicators: Power, Clip, Signal, Protect
- » Configuration: Stereo, Bridge, Parallel
- » Crossover filter for sub-woofers 30-150Hz



3 SPEAKERS



Active Speakers

VORTECH series

» Vortech series are more than just a speakers. Each model is equipped with an integrated mixer to connect your instruments and/ or your Mp3 player or Smartphones. FX models integrate a multieffect DSP processor for your vocal or instruments applications. Available in four sizes, all models are conceived with latest sound technology such a high efficiency Class D power amplifier to deliver a crystal clear and powerful sound and switching technology S.P.M.S. power supplier for maximum efficiency and performance. Vortech series is great for all applications: bands, vocal, presentations, school, bars and pubs.



S208D

Class D 200W 8" ultra-lightweight speaker with DSP

- » Full range class D bi-amplified speaker for a powerful and crystal clear sound
- » Ultra resistant, ultra light polypropilen cabinet
- » 200 watt maximum Power
- » 8" woofer and 1" dome tweeter
- » DSP with a total of 5 presets: 3 for low frequency amplifier, 2 for high frequency amplifiers
- » A full featured input section consisting in one channel with combo Mic/Line input and switch, one TRS stereo aux input, one RCA stereo line input
- » XLR post gain line output
- » Level control for each channel
- » 35 pole mount socket
- » Asymmetrical cabinet shape allow to use the speaker as a floor stage monitor



S212D-FX

Class D 400W 12" ultra-lightweight speaker with builtin mixer

- » Full range class D bi-amplified speaker
- » Ultra resistant, ultra light polypropilen cabinet
- » 400 watt maximum Power
- » 12" woofer and 1" dome tweeter
- » DSP with 8 ambient effects on channel A
- » 2 channels with combo Mic/Line input and switch, RCA line input for channel B
- » Line out post gain + aux, separate out for channel A and B
- » Gain and 3 band equalizer for each channel
- » Equalizer bypass switch
- » 35 mm pole mount socket
- » Suitable for horizontal positioning as a floor monitor usage



S210D-FX

Class D 400W 10" ultra-lightweight speaker with builtin mixer

- » Full range class D bi-amplified speaker
- » Ultra resistant, ultra light polypropilen cabinet
- » 250 watt maximum Power
- » 10" woofer and 1" dome tweeter
- » DSP with 8 ambient effects on channel A
- » 2 channels with combo Mic/Line input and switch, RCA line input for channel B
- » Line out post gain + aux, separate out for channel A and B
- » Gain control for each channel
- » Tone control with switchable presets to fit every situation
- » Equalizer bypass switch
- » 35 mm pole mount socket
- » Suitable for horizontal positioning as a floor monitor usage



S215D-FX

Class D 400W 15" ultra-lightweight speaker with builtin mixer

- » Full range class D bi-amplified speaker
- » Ultra resistant, ultra light polypropilen cabinet
- » 500 watt maximum Power
- » 15" woofer and 1" dome tweeter
- » DSP with 8 ambient effects on channel A
- » 2 channels with combo Mic/Line input and switch, RCA line input for channel B
- » Line out post gain + aux, separate out for channel A and B
- » Gain and 3 band equalizer for each channel
- » Equalizer bypass switch
- » 35 mm pole mount socket
- » Suitable for horizontal positioning as a floor monitor usage



Active Speakers

SPWM series

SPWM-06A

60W two way active speaker speaker with 6.5" woofer and wall mounting stand

- » 2 way full range active speaker
- » Polypropylene cabinet
- » Maximum power 60 watt
- » Woofer 6.5" + dome tweeter 1"
- » Mic/line input TRS 6.35mm
- » Line out TRS 6.35mm
- » Volume, gain and tone controls
- » Wall mounting stand included



Active Speakers

SSP10 series

SSP10-08A

Active 100W 2 way loudspeaker with 8" woofer

- » 2 way full range active speaker
- » Polypropylene cabinet
- » 100 Watt max power
- » 8" Woofer + 1" tweeter
- » Balanced XLR/Jack microphone input
- » Line XLR input
- » Line out TRS to connect additional speakers
- » Level control for each input
- » 2 Band Equalization (bass and treble)
- » Leds for clip and power
- » 35mm pole mount socket
- » Including floor monitor usage stand



SPWM-08A

80W two way active speaker speaker with 8" woofer and wall mounting stand

- » 2 way full range active speaker
- » Polypropylene cabinet
- » Maximum power 80 watt
- » 8" Woofer + 1" titanium tweeter
- » Mic/line input TRS 6.35mm with switch
- » Line out TRS 6.35mm
- » Volume, gain and tone controls
- » Wall mounting stand included



SSP10-10A

Bi-amped 150W 2 way active loudspeaker with 10" woofer

- » 2 way full range active bi-amplified speaker
- » Polypropylene cabinet
- » 150 Watt max power
- » 10" Woofer + 1.35" tweeter
- » Balanced XLR/Jack microphone input
- » Line XLR input
- » Line out TRS to connect additional speakers
- » Level control for each input
- » 2 Band Equalization (bass and treble)
- » Leds for clip and power
- » 35mm pole mount socket
- » Including floor monitor usage stand



Active Speakers

SSP10 series



SSP10-12A

Bi-amped 250W 2 way active loudspeaker with 12" woofer

- » 2 way full range active bi-amplified speaker
- » Polypropylene cabinet
- » 250 Watt max power
- » 12" Woofer + 1.35" tweeter
- » Balanced XLR/Jack microphone input
- » Line XLR input
- » Line out TRS to connect additional speakers
- » Level control for each input
- » 2 Band Equalization (bass and treble)
- » Leds for clip and power
- » 35mm pole mount socket
- » Including floor monitor usage stand



FMT10-12A

300W 12 active stage monitor

- » 3-Band Equalization
- » Anti-Feedback filter with frequency adjustment
- » Combo line/mic switchable input
- » Combo link output for additional speaker
- » Front panel for easy access to all controls
- » Also suitable as PA system
- » 35mm stand mount hole



SSP10-15A

Bi-amped 300W 2 way active loudspeaker with 15" woofer

- » 2 way full range active bi-amplified speaker
- » Polypropylene cabinet
- » 300 Watt max power
- » 15" Woofer + 1.75" tweeter
- » Balanced XLR/Jack microphone input
- » Line XLR input
- » Line out TRS to connect additional speakers
- » Level control for each input
- » 2 Band Equalization (bass and treble)
- » Leds for clip and power
- » 35mm pole mount socket
- » Including floor monitor usage stand



Passive Speakers

SPWM series



SPWM-05P

100W 2 way passive speaker pair with 5" woofer and wall mount stand included

- » 2 way full range passive speaker pair
- » Polypropylene cabinet
- » Max Power: 50W per speaker, total 100W
- » 5" speaker + 3/4" dome tweeter
- » Impedance 80hm
- » Possibility to install up to 4 speaker with a single 40hm power amp, up to 8 speaker with a single 20hm power amp
- » Input binding post connectors
- » Wall mount stand included with security cable



SPWM-06P

60W two way passive speaker with 6.5" woofer and wall mount stand included

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » 60 Watt maximum power
- » 6.5" woofer + 1" dome tweeter
- » Jack 6.35mm and binding post input
- » Jack 6.35mm and binding post output to connect additional speakers
- » Wall mount stand included



SPWM-05P-WH

100W 2 way passive speaker pair with 5" woofer and wall mount stand included (white)

- » 2 way full range passive speaker pair
- » Polypropylene cabinet
- » Max Power: 50W per speaker, total 100W
- » 5" speaker + 3/4" dome tweeter
- » Impedance 80hm
- » Possibility to install up to 4 speaker with a single 40hm power amp, up to 8 speaker with a single 20hm power amp
- » Input binding post connectors
- » Wall mount stand included with security cable
- » Pure white finish, perfect fit for installations in bars, pubs, night clubs



SPWM-06P-WH

60W two way passive speaker with 6.5" woofer and wall mount stand included (white version)

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » 60 Watt maximum power
- » 6.5" woofer + 1" dome tweeter
- » Jack 6.35mm and binding post input
- » Jack 6.35mm and binding post output to connect additional speakers
- » Wall mount stand included
- » Pure white finish, perfect fit for installations in bars, pubs, night clubs



Passive Speakers

SPWM series



SPWM-08P

80W two way passive speaker with 8" woofer and wall mount stand included

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » 80 Watt maximum power
- » 8" woofer + 1" titanium tweeter
- » Jack 6,35mm and binding post input
- » Jack 6,35mm and binding post output to connect additional speakers
- » Wall mount stand included




SPWM-08P-WH

80W two way passive speaker with 8" woofer and wall mount stand included (white version)

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » 80 Watt maximum power
- » 8" woofer + 1" titanium tweeter
- » Jack 6,35mm and binding post input
- » Jack 6,35mm and binding post output to connect additional speakers
- » Wall mount stand included
- » Pure white finish, perfect fit for bars, pubs, night clubs

NEW



Passive Speakers

SSP10 series



SSP10-08P

100W 2 way passive speaker with 8" woofer

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » Max power 100 Watt
- » 8" Woofer + 1" Tweeter
- » Speakon input
- » Speakon output for parallel connection
- » 35 mm pole mount
- » Including floor monitor usage stand



SSP10-12P

180W 2 way passive speaker with 12" woofer

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » Max power 180 Watt
- » 12" Woofer + 1.35" Tweeter
- » Speakon input
- » Speakon output for parallel connection
- » 35 mm pole mount
- » Including floor monitor usage stand



SSP10-10P

120W 2 way passive speaker with 10" woofer

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » Max power 120 Watt
- » 10" Woofer + 1.35" Tweeter
- » Speakon input
- » Speakon output for parallel connection
- » 35 mm pole mount
- » Including floor monitor usage stand



SSP10-15P

200W 2 way passive speaker with 15" woofer

- » 2 way full range passive speaker
- » Polypropylene cabinet
- » Max power 200 Watt
- » 15" Woofer + 1.75" Tweeter
- » Speakon input
- » Speakon output for parallel connection
- » 35 mm pole mount
- » Including floor monitor usage stand

4 PA SYSTEMS



PA systems

» BluePort is an extremely portable and full featured PA system. The mixer can be attached and detached with the speaker for maximum ease of carrying and use. Equipped with switching power supplier and Class D amplification technology, it provides 4 mono mic/line channels, 2 stereo channels and DSP 24Bit effects processor. Not enough? BluePort has more to offer. Connect your smartphone via Bluetooth, plug your mass storage device (USB or Sd cards) or simply connect your external player via RCA to have your playlists at your fingertips. A remote control is included for your convenience. With crystal clear and powerful sound, extreme portability, use of most modern amplification technologies and advanced connectivity, the BluePort is the perfect solution in many applications: live bands, parties, small bars, school, conferences and more!



BLUEPORT

NEW

Portable PA system with Mp3 player and Bluetooth

- » 200W RMS Class D powered mixer with switching power supply
- » 2 x Bass Reflex High Efficiency polypropylene enclosures with 10" woofers
- » Powerful and crystal clear sound
- » Attach and remove mixer and storage box with the speaker cabinet
- » 4 mic/line inputs with phantom power, 2 stereo inputs, input for external device
- » 24 Bit DSP processor with echo, reverb, delay and chorus effects
- » 2 band equalizer, volume control and effect amount for each mono channel
- » Monitor section with Jack or RCA outputs and mini-jack headphone output
- » Bluetooth module to connect latest devices such as smartphones or tablets
- » Mp3 player with mass storage devices input (USB or Sd cards) and LCD backlit display
- » Remote control for Mp3 player functions
- » Mixer to speaker connection cables included



PA-120

Complete PA set with mixer and two 10" speakers

- » Speaker: 2x10" (150W)
- » Mixer: 4 active channels, voice fx, speaker out, fx loop, aux in
- » Speaker cables included
- » Microphone and cable included

PA-120MKII

200 W PA System with integrated Mp3 player

NEW

- » 200 W Multimedia PA System
- » 6 Channels Active Mixer with FX DSP
- » Dynamic Microphone with his cable included
- » Mp3 player with USB/SD input, adjustable Volume and EQ
- » Dual Band EQ on single Channel and Trial Band on Master Out
- » Wood Speakers and Mixer with ultra-rugged wrap
- » Easy to transport



PAT30U

Trolley battery operated portable PA system with MP3/SD player

- » Power: 80W (35W RMS)
- » 10" woofer for rich and full sound
- » 34 mm dome tweeter
- » 3 channels mixer (mic, instrument, aux in)
- » Link output for additional speakers
- » MP3/SD player with independent vol/eq control
- » Master section with volume and 3 band equalizer controls
- » 2 modes supply (220V/battery)
- » Aluminium construction for safe portability
- » 35 mm pole mount socket
- » Rechargeable battery included



5 STUDIO MONITORS

STUDIO MONITORS



Studio Monitors

CLARITY series

» The SOUNDSATION Clarity Series is an excellent solution for any home recording or studio environment. You will be delighted with a clear and low-distortion music playback. High level design makes the speakers to work for very detailed and accurate sound. Technology intensively engineered drivers and low noise amplifier for best performance are core parts of the monitor. A versatile input panel make your life easy allowing to use RCA, 1/4" TRS or XLR plug. High Frequency adjust control provides a prompt solution to the common annoying high frequency output affected by room acoustics. A series for every clear sound lover.



CLARITY-5A-B

High-Definition 2-Way Active Studio Monitor 2x100 watt (pair)

- » Power: 100 watt
- » 5" Woven Custom Glass Aramid composite cone woofer
- » Built-in 100 watt Watt RMS Bi-amp module w/18dB oct. Filters
- » 1" High frequency neo soft dome tweeter with ferrofluid
- » Very linear frequency response from 40 Hz to 20 KHz
- » 4 level High frequency precision adjust (-2dB, -1dB, 0, +1dB)
- » Optimal solution for a wide range of performance and for a subwoofer-speakers setup
- » Magnetical shield avoid interferences of displays and other devices
- » Superior connectivity options : balanced XLR, 1/4" TRS and unbalanced RCA input
- » "Studio Black Satin" finishes
- » This package contains: 2 x CLARITY 5A active studio monitor, Power cables, Printed User Manual



CLARITY-5A-W

High-Definition 2-Way Active Studio Monitor 2x100 watt (pair)

- » Power: 100 watt
- » 5" Woven Custom Glass Aramid composite cone woofer
- » Built-in 100 watt Watt RMS Bi-amp module w/18dB oct. Filters
- » 1" High frequency neo soft dome tweeter with ferrofluid
- » Very linear frequency response from 40 Hz to 20 KHz
- » 4 level High frequency precision adjust (-2dB, -1dB, 0, +1dB)
- » Optimal solution for a wide range of performance and for a subwoofer-speakers setup
- » Magnetical shield avoid interferences of displays and other devices
- » Superior connectivity options : balanced XLR, 1/4" TRS and unbalanced RCA input
- » "Studio White Gloss" finishes
- » This package contains: 2 x CLARITY 5A active studio monitor, Power cables, Printed User Manual

Studio Monitors

CLARITY series



CLARITY-8A-B

High-Definition 2-Way Active Studio Monitor 2x180 watt (pair)

- » Power: 180 watt
- » 8" Woven Custom Glass Aramid composite cone woofer
- » Built-in 180 watt RMS Bi-amp module w/18dB oct. Filters
- » 1" High frequency neo soft dome tweeter with ferrofluid
- » Very linear frequency response from 40 Hz to 20 KHz
- » 4 level High frequency precision adjust (-2dB, -1dB, 0, +1dB)
- » Optimal solution for a wide range of performance and for a subwoofer-speakers setup
- » Magnetical shield avoid interferences of displays and other devices
- » Superior connectivity options : balanced XLR, 1/4" TRS and unbalanced RCA input
- » "Studio Black Satin" finishes
- » This package contains: 2 x CLARITY 8A active studio monitor, Power cables, Printed User Manual



CLARITY-10A-B

High definition 10" Active subwoofer

- » 200 Watt Power
- » 10" Aramid glass fiber speaker
- » Phase switch
- » Built-in 24db/octave variable crossover
- » Rotary Crossover Adjust 50-150Hz
- » Balanced TRS 1/4" and XLR Inputs
- » Auto Power
- » System Volume Control (-80/+6dB)
- » LED Power indicator
- » "Studio Black Satin" finishes



CLARITY-8A-W

High-Definition 2-Way Active Studio Monitor 2x180 watt (pair)

- » Power: 180 watt
- » 8" Woven Custom Glass Aramid composite cone woofer
- » Built-in 180 watt RMS Bi-amp module w/18dB oct. Filters
- » 1" High frequency neo soft dome tweeter with ferrofluid
- » Very linear frequency response from 40 Hz to 20 KHz
- » 4 level High frequency precision adjust (-2dB, -1dB, 0, +1dB)
- » Optimal solution for a wide range of performance and for a subwoofer-speakers setup
- » Magnetical shield avoid interferences of displays and other devices
- » Superior connectivity options : balanced XLR, 1/4" TRS and unbalanced RCA input
- » "Studio White Gloss" finishes
- » This package contains: 2 x CLARITY 8A active studio monitor, Power cables, Printed User Manual



CLARITY-10A-W

High definition 10" Active subwoofer

- » 200 Watt Power
- » 10" Aramid glass fiber speaker
- » Phase switch
- » Built-in 24db/octave variable crossover
- » Rotary Crossover Adjust 50-150Hz
- » Balanced TRS 1/4" and XLR Inputs
- » Auto Power
- » System Volume Control (-80/+6dB)
- » LED Power indicator
- » "Studio White Gloss" finishes

6 MICROPHONES



Recording Bundle

ON AIR

» On Air is a complete solution for the Audio recording. The bundle includes a Cardioid condenser Microphone, an Audio Converter 16 bit-48KHz with Phantom Power switch, a desk tripod, a wind screen and all the cables needed for the audio and digital connection, thanks to the included MAGIX SAMPLITUDE PRO X SILVER Recording Software On Air become a powerful resource for Home Studio and Live Audio application as well as a complete tool for the Broadcasting production.



OnAir

On Air Recording Bundle

- » Built-in small diaphragm condenser capsule to provide natural sound reproduction
- » Plug'n'play 16 bit-48 KHz Audio Converter
- » Genuine rugged construction with Die-cast technology
- » Ideal for Studio, Live and Broadcasting application
- » MAGIX SAMPLITUDE PRO X SILVER recording software
- » Accessories: Desk Tripod, Windscreen, Audio and USB Cables

Matched Condenser Microphones

K2 TWIN

» K2 TWIN is a powerful resource for everyone who needs a stereo condenser microphone set for professional studio recording. The 2 cardioid microphones are equipped with top quality diaphragm and on each unit it's possible to control the Gain (0/-10dB) as well as the roll-off filter. The die-cast metal enclosure of each microphone ensure a long use both for studio and live entertainment becoming a powerful resource for technician looking for the best performances. This bundle includes:
- 2 x Matched Condenser Microphones - 2 x Windscreens - 2 SH400 Professional Shock Mount system - 1 x Adjustable Metal Stereo Bar All the components perfectly fit in the comfortable and light weight PVC carrying bag.



K2TWIN

Matched Studio Condenser Microphones (pair)

- » Cardioid directivity characteristic for ideal sound capturing
- » Roll-off filter and Gain Attenuation 0/-10dB
- » Genuine rugged construction with Die-cast technology
- » SH-400 Professional Shockmount to prevent critical vibration
- » Ultra-precise adjustable Stereo Bar
- » Sensitivity matching of the 2 unit with max ratio 3/1



Condenser Microphones



SGC100

Battery Powered Condenser Shotgun Microphone

- » Dual directivity option (cardioid or hyper-cardioid)
- » Detailed and clear voice pickup
- » Battery powered - no need of phantom power
- » High sensitivity, wide dynamic range and low distortion
- » Spring cable for flexible in-field performance
- » Ideal for video camera ,recorders, interviewing apps
- » Comes with cable, windscreen and lightweight aluminum case



PCM5100

Studio Condenser Microphone

- » Capable of handling High SPL with no feedback troubles
- » Rugged metal housing
- » On/off switch
- » High Sensitivity, wide dynamic range with low distortion



HM-700

Condenser Headset Microphone

- » Overhead wear style
- » Cardioid directivity characteristic for eliminating unwanted noise
- » Light and comfortable wearing



Dynamic Microphones



TA-54D

Vintage Style dynamic microphone

- » Classic vintage style design
- » Quality and durable satin UU finishing
- » Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice projection
- » Ultra-wide frequency response for crystal and clear sound
- » Extremely high signal output lets your voice cut through
- » Cardioid polar pattern minimizes ambient noise and feedback
- » Effective built-in pop noise filter
- » On/off switch for on-stage easy control



PRO30

Pro vocal dynamic microphone

- » Dynamic vocal microphone with smooth mid-frequency presence rise for excellent voice projection
- » Ultra-wide frequency response for crystal and clear sound
- » Extremely high signal output lets your voice cut through
- » Cardioid polar pattern minimizes ambient noise and feedback
- » High-quality components and exceptionally rugged construction
- » XLR M / XLR F cable included



DM99

Pro Dynamic Mic Pack

- » Set of 3 pcs for any stage application
- » Dynamic vocal microphone for solid performance
- » Wide frequency response for brilliant and clear sound
- » Extremely high signal output lets your voice cut through
- » Comfortable on-off switch for easy muting
- » Microphone stand adapter and lightweight carrying case included
- » High-quality components and rugged construction
- » Lightweight carrying case
- » Microphone stand adapter for easy stand



E 340

Cardioid dynamic microphone

- » Music lovers easiest and convenient choice
- » Ready for KARAOKE applications
- » Singer's most wanted dynamic element
- » On/off switch
- » Cardioid polar pattern minimizes ambient noise and feedback
- » Quality components and rugged construction

Dynamic Microphones

Mic packs



MICPKG-100

Vocalist all-in-one package with padded carrying bag

- » Unidirectional dynamic microphone, metal body and on-off switch
- » Telescopic boom mic stand with tripod base. Max Height: 186 cm, max arm length 1 cm
- » 6 meter shielded mic cable, 2 XLR plugs
- » Padded carrying bag with zip pocket to protect the microphone



DM38PRO-3P

Pro Dynamic Mic Pack

- » Set of 3 pcs for any stage application
- » Dynamic vocal microphone for solid performance
- » Wide frequency response for brilliant and clear sound
- » Extremely high signal output lets your voice cut through
- » Comfortable on-off switch for easy muting
- » Microphone stand adapter and lightweight carrying case included



DMS-PRO-7

THE SUPERSEVEN drum mic set

- » complete drum miking set
- » 5 dynamic microphones for 5 pcs drumset
- » 2 condenser microphone to use for cymbals
- » Extreme quality cardrigris
- » Titanium gold durable finishing
- » Solid aluminum carrying case
- » Comes with 1 bass drum mic (TA-8340) , 4 tom/snare mics (TA-8280) , 2 cymbal condenser mics with windscreen and mic stand holder , 4 drumset mic holder



TA-8280

Percussions Dynamic Microphone

- » Extremely high grade capsule
- » Tailored frequency response for percussions miking
- » High volume level without distortion
- » Extended response range at low frequencies
- » Elegant and durable titanium gold finishing
- » Rugged metal construction
- » Application: any kind of percussion. In drumset miking is optimal for use on toms and snare drums.



TA-8340

Percussions dynamic microphone

- » Extreme high grade capsule
- » High volume level without distortion
- » Extended response range at low frequencies
- » Elegant and durable titanium gold finishing
- » Rugged metal construction

Installation Microphones



BM-630-B

High Sensibility Boundary Microphone Black finishing

- » High performance condenser microphone
- » High sensitivity for directional and detailed pickup
- » LED mute indicator and on/off switch
- » Flat design
- » Rugged metal construction with noise reducing rubber base
- » Application : conference, church, broadcasting
- » Comes with mini XRL to XRL cable



BM-630W

High Sensibility Boundary Microphone White finishing

- » High performance condenser microphone
- » High sensitivity for directional and detailed pickup
- » LED mute indicator and on/off switch
- » Flat design
- » Rugged metal construction with noise reducing rubber base
- » Application : conference, church, broadcasting
- » Comes with mini XRL to XRL cable



GN-230

Installation condenser microphone

- » Back-electret capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- » High sensitivity
- » Double gooseneck construction for flexible positioning
- » Application: conference, broadcasting, public address, communication, home recording.



GN250

Installation condenser microphone

- » Back-electret capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- » High sensitivity
- » LED ring power indicator
- » Double gooseneck construction for flexible positioning
- » Application: conference, broadcasting, public address, communication, home recording.

Installation Microphones



GN260

Professional gooseneck condenser microphone

- » Gold-plated diaphragm for most accurate sound reproduction
- » High sensitivity and wide frequency response range
- » Suitable for high SPL environments
- » Built-in bass roll-off switch
- » Double gooseneck construction for flexible positioning
- » Application: conference, broadcasting, public address, communication, home recording.



MS189

Desktop Gooseneck Microphone set

- » Back-electred capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- » High sensitivity and wide frequency range
- » LED ring power indicator
- » Flexible positioning
- » Powered by battery or Phantom Power
- » Application: conference, broadcasting, public address, communication, home recording.



TG100

Desktop Gooseneck Microphone set

- » Back-electred capsule with hyper-cardioid directivity for max isolation of source voice from ambience
- » High sensitivity and wide frequency range
- » LED ring power indicator
- » Flexible positioning
- » Powered by battery or Phantom Power
- » Application: conference, broadcasting, public address, communication, home recording.
- » Comes with base, cable, windscreen, 2 1.5 Volt AA batteries




HM500

Overhead condenser microphone

- » Tailored frequency response for rich, clear and sensitive sound reproduction
- » Cardioid directivity characteristic for eliminating unwanted noise
- » Spring-mounted design for flexible positioning and installation
- » Application: Theatre, TV filming studio, conference sound reinforcement

7 HEADPHONES



HEADPHONES



Headphones



TS428

Hi-fi Stereo Headphones

- » Lightweight and comfortable design for everyday use
- » Distinct and exquisite sound quality
- » Balance stereo effect
- » Soft skin ear pads for long time wearing comfort
- » Both-side cable design
- » 3.5mm stereo plug and 6.3mm adaptor
- » Adjustable size headband



HD40W

Monitoring headphones

- » Noble UV painting with finish
- » Soft & high protein leather ear pads for comfortable wearing
- » Swivel earcup design for 25° right or left swivel for different face shape
- » 180° outward swivel for single hand monitoring
- » 35 mm Adjustable headband length
- » 3.5mm gold plated connector
- » 3.5 mm to 6.3 mm gold plated adaptor



HF500

Foldable stereo headphones

- » Excellent sensitivity, wide dynamic range, full-bodied bass, precise mids and clear highs to its 40mm neodymium 40 mm driver
- » soft and high protein leather earpads for comfortable and long time listening
- » Light and flexible PP headband
- » Folding design for convenient carrying
- » Swivel earcup design for 25° right or left swivel fit different head shapes and 180° swivel for one-ear monitoring
- » Zipper carrying case



HD50

Pro monitoring headphones

- » Extremely high power handling capability of 2000mW
- » Featuring punchy bass range, well-balanced mids and clear highs
- » Unique construction provides perfect fit
- » Featherweight solution for long-term wearing comfort
- » 0° swiveling earcup
- » Folding earcup design for ease of carrying
- » Supplied with both soft skin ear pads and velvet ear pads
- » black velvet travel carrying bag



HD40B

Monitoring headphones

- » Noble UV painting with finish
- » Soft & high protein leather ear pads for comfortable wearing
- » Swivel earcup design for 25° right or left swivel for different face shape
- » 180° outward swivel for single hand monitoring
- » 35 mm Adjustable headband length
- » 3.5mm gold plated connector
- » 3.5 mm to 6.3 mm gold plated adaptor



EP2225

In-ear headphones

- » In-ear design for maximum noise isolation
- » Punchy bass, natural mids and clear highs
- » Supplied with three pairs of ear pads in different sizes for optimal fit
- » Optimal for CD-players, MP3, monitoring apps

8 AUDIO TOOLS



USB inferaces



USGT-100

Guitar cable with built-in Plug & Play USB interface

- » Guitar cable with built-in USB interface
- » Direct connection with computer without external hardware
- » Plug & Play installation without additional drivers
- » Suitable for guitars, basses and other string instruments
- » Jack mono 6.3 connector
- » USB type A connector
- » PVC glossy black cable
- » Cable lenght: 3 months
- » Compatible with Windows XP/VISTA/7/8 e Mac OS X



USMI-100

I/O 32 Channels USB/Midi Interface

- » 32 Channels (16 in - 16 out)
- » USB 1.0 and 2.0 compatibility
- » Windows and Mac Plug'n'play
- » Ultra-compact design
- » Indicators: In/Out/Sysex
- » Length: 1.5 mt



MIC1648-PRO

High resolution USB audio interface with integrated phantom power

- » USB high resolution soundcard
- » 48V integrated phantom power with activation switch
- » Latency free 3.5 mm jack headphone monitor output
- » Record/play switch allow to set mic/line input
- » XLR to TSR jack Adapter
- » Power is supplied via USB, no external adapter is needed
- » Compatible with Windows and MAC OS X operating systems
- » Plug & play installation, no additional driver is needed



Smart Tools



PS-500

Ultra low noise phantom power supplier

- » Phantom power
- » Super compact design
- » Ultra low noise operation
- » Stable voltage, double rectifying circuit effectively eliminates interference AC signal
- » Two balanced XLR power inputs/outputs
- » Noiseless On/Off switch
- » Included external power adapter avoids electromagnetic interference
- » Built-in low pass filter eliminates unwanted noise from external audio equipment



ADX-500

Ultra low noise active DI Box

- » Converts unbalanced input signal in balanced output signal
- » Input jack 6.3mm unbalanced
- » Input XLR F unbalanced
- » Monitor out/link out 6.3mm
- » Pad 0dB - 20 dB
- » Output XLR M balanced
- » Ground lift switch
- » v battery operated



SCT-100PS-500

Universal cable tester

- » USB
- » Speakon (4/8 pole)
- » Jack 6.3"/3.5"
- » XLR
- » RCA
- » MIDI
- » S-video
- » RJ-45
- » Din (8 pole)


9 PROCESSORS



Digital Processors




» In the era of Digital Audio Production and Installation, the need of a powerful line of digital modules has become evermore important. Soundsation introduces its line of processors built with top quality components and the most advanced algorithms developed by our Italian laboratories. Digital Crossovers and Feed-back Eliminator ensure top performances for live application with a 24 bit resolution and ultra-fast response chips. The Multi-FX module add to your voice or instrument REVERB, DELAY, CHORUS, ROTARY and PITCH SHIFTER all with an intuitive parameter adjusting interface.



DCX260

2 In 6 Out Digital Loudspeaker management system

- » 24 bit Audio Processor for filters and 6 bit for intermediate computation results
- » 5 parametric filters on inputs and 7 on outputs adjustable between Shelving or Bell
- » X-over HPF & LPF adjustable from -6 dB/Oct (Butterworth) up to -24dB/Oct (Butterworth, Linkwitz or Bessel)
- » RMS Limiter on Outputs
- » Digital LED Vu Meters with up to 7 segments on inputs and outputs
- » Wide LCD screen for an optimal check of the status of the unit
- » Software manager for remote unit controlling included



DFE1224

Digital Feedback Eliminator

- » 24 bit Audio Processor with 12 Real-time Notch filters
- » Professional 24 bit AD/DA Converters
- » Adjustable parameter for each effect and MIX between input and output signal
- » User-friendly panel interface thanks to the rotative knob "Navigation" that allows to get all the parameter
- » Wide LCD screen for an optimal check of the status of the unit
- » Ultra-rugged construction allowing to use the unit in Live performances
- » Software manager for remote unit controlling included




DFX2448

24 bit Multieffect Processor 1U Rack



- » 24 bit Processor with 24 bit DELTA-SIGMA converters
- » Built-in Effects : REVERB, DELAY, CHORUS, ROTARY, PITCH SHIFTER and combined FX (CHR/FLG+REVERB, DELAY+REVERB, CHR/FLG+DELAY)
- » Advanced MIX system: (INPUT-OUTPUT-MIX)
- » Wide LCD screen for an optimal check of the status of the unit
- » Ultra-rugged construction allowing to use the unit in Live performances
- » Software manager for remote unit controlling included



DCX240

2 In 4 Out Digital Loudspeaker management system

- » 24 bit Audio Processor for filters and 6 bit for intermediate computation results
- » 5 parametric filters on inputs and 7 on outputs adjustable between Shelving or Bell
- » X-over HPF & LPF adjustable from -6 dB/Oct (Butterworth) up to -24dB/Oct (Butterworth, Linkwitz or Bessel)
- » RMS Limiter on Outputs
- » Digital LED Vu Meters with up to 7 segments on inputs and outputs
- » Wide LCD screen for an optimal check of the status of the unit
- » Software manager for remote unit controlling included



DFX16

16 effects 24 bit processor

- » Last generation 24 BIT DSP with built-in 16 Effects optimized for Live, Studio and Podcast
- » Ultra-compact design with user-friendly parameters
- » Accurately IN-OUT Mixing with dedicated pots
- » Foot-switch input for remote controlling of the unit
- » LED indicators for TAP/FX Select, Bypass and Clip
- » Ultra-rugged construction to ensure best performance both for Live and Studio

10 PRO DJ





CD400-USB

Digital Desk for DJ

- » CD/USB/SD card player
- » Supported file format : wav, MP3, AAC,aiff
- » Supported media : CD Audio, CD-R ,CD-RW, CD Audio, USB storage keys , SDHC cards
- » Playlist search function
- » Pitch control
- » Seamless Loop
- » Scratch FX
- » Support ID3 TAG



DJBOX

2 channel digital USB Dj audio interface

- » 2 channel USB audio interface
- » Plug&Play on Windows and Mac
- » Work also as mixer without computer
- » Full-Duplex USB interface
- » Crossfader
- » Comes with 1 USB 2.0 cable and User manual



» Be the star of your dancing nights. box2mix Soundsation is everything a DJ needs to perform. A complete workstation including a double multisource CD / key MP3 / SD card player ,a mixer, a monitoring headphone. If you like the mixer ca be a PC/Mac USB soundcard and you can source your playlist from your computer or laptop with your favourite software. Easy transportation with supplied shockproofing soft case.



BOX2MIX

Complete system for DJ entertainment

- » 2 x CD400 Digital Desk (CD, Mp3, USB SD-CARD)
- » 1 x DJBOX DJ Mixer with integrated USB interface
- » 1 x HD-50 Professional Circum-Aurale Headphones
- » 1 x Custom Sized GIG-BAG

11 STANDS



STANDS

String Instruments

SWGS-110

Universal metallic guitar wall stand

- » Straight cradle, fits all kind of guitars and other instruments
- » Cradle in rubber to prevent scratches
- » Metal black painted plate
- » Mounting screws included



SWGS-100

Guitar wall hanger with adjustable angle

- » Suited to all type of guitars or other string instruments
- » Suited for wall units installation
- » Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- » Display direction can be adjusted thanks to the articulated cradle



SWGS-120

Universal metallic guitar wall stand with deep cradle design

- » Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- » Fits all kind of guitars and other instruments
- » Metal black painted plate
- » Mounting screws included



SWGS-200

Universal guitar wall stand with wood plate deep cradle

- » Wood plate in mahogany finish
- » Rubber cradle with deep design to prevent any scratches and any improper movement of the instrument
- » Fits all kind of guitars and other instruments
- » Mounting screws included



SGS-200

Universal guitar and bass stand with height adjustment

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits all guitar and basses
- » Safety strap on neck to prevent accidental fall
- » Adjustable height



SGS1000-BK

Universal guitar stand with self closing yoke

- » Built in steel
- » Universal use, suited for all type of guitars or other instruments
- » Innovative "Quick Hang" system with self closing yoke
- » "Quick Switch" system for easy height adjustment
- » Contact points covered with anti-scratch foam rubber material
- » Sturdy three legs structure to ensure maximum stability



SGS-100

A style guitar/bass stand

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits electric guitar and basses
- » A style folding structure



SGS-110

A style universal guitar/bass stand

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits all guitar and basses
- » A style folding structure



SGS-120

A style acoustic guitar/bass stand

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits acoustic/classic guitar and acoustic basses
- » A style folding structure



SGS-130

A style guitar/bass stand with clamp style closing system

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits electric guitar, electric basses, hollow body guitars
- » A style folding structure



SGS2100

Foldable guitar and bass universal stand

- » Sturdy metal construction
- » Completely foldable structure
- » Universal design, suited for all guitars and basses
- » Contact points covered with anti-scratch material
- » Tripod structure for maximum stability



String Instruments

SGS-210

Universal double guitar and bass stand with height adjustment and safety strap

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits all guitar and basses
- » Safety strap on neck to prevent accidental fall
- » Adjustable height



FMS10-3

Foldable guitar stand for 5 guitars/basses

- » Foldable metal frame (5 instruments) Soft rubber for instrument protection
- » Light, compact, stable
- » Finish: Matte Black



FMS10-5

Foldable guitar stand for 5 guitars/basses

- » Foldable metal frame (5 instruments) Soft rubber for instrument protection
- » Light, compact, stable
- » Finish: Matte Black



SFS-100

Adjustable guitar players footrest with anti-slip board

- » Sturdy construction in metal
- » Height adjustable in 5 different positions
- » Antislip rubber foot board for best stability



Bow Instruments

SGS-220

Universal triple guitar and bass stand with height adjustment

- » Made of light steel
- » Anti-scratch rubber covered contact points
- » Fits all guitar and basses
- » Safety strap on neck to prevent accidental fall
- » Adjustable height



SCEST100-BK

Cello stand with 3 setting points

- » Sturdy metal construction
- » Three setting points to fit different sizes and models
- » Foldable design for easy carrying
- » Anti-scratch cover material on contact points
- » End pin rest



SDBST100

Doublebass stand with 3 setting points

- » Sturdy metal construction

Wind Instruments

SCLAS-10

Clarinet stand with round base

- » Built in sturdy and anti-scratch
- » Suited both for clarinet and flute
- » Simple and elegant design



SDSC-10

Multiple stand for two clarinets or flutes and one saxophone

- » Built in metal with anti-scratch material contact points
- » Fitting two clarinets or two flutes and one saxophone
- » Universal design, fits most clarinet, flutes and curved saxophones



STRPS-10

Trumpet stand with tripod base and height adjustment

- » Built in sturdy metal with anti-scratch ABS contact points
- » Tripod base for improved stability
- » Suited for trumpets of most bell sizes
- » Simple and elegant design with height adjustment
- » Foldable legs for convenient carrying



SASXS-10

Saxophone stand with tripod base

- » Built in sturdy metal with anti-scratch material contact points
- » Tripod base for improved stability
- » Suited for all saxophone with curved design
- » Foldable legs for easy carrying



SDSC-20

Multiple stand for two clarinets or flutes and two saxophones

- » Built in metal with anti-scratch material contact points
- » Fitting two clarinets or two flutes and two saxophones
- » Universal design, fits most clarinet, flutes and curved saxophones

Accordions



0903

Universal accordion stand

- » Safely hold your accordion and allows to play without carrying it
- » Height adjustment mechanism to play standing or sitting
- » Holding frame can be adjusted to fit all kind of accordions of all dimensions
- » Super heavy duty construction for maximum stability
- » 100% Made in Italy

Keyboard Instruments

SPHERE series



» SPHERE series features expandable single frame keyboard stand. Sturdy construction, light and stable featuring an innovative adjusting sphere system. Epossidic painting ensures great durability.



SPH-1000

Expandable single frame keyboard stand

- » 30x20mm steel frame and 28mm tubular arms
- » Epossidic painting for great durability
- » Innovative sphere system for quick and accurate setting
- » Adjustable feet for maximum stability
- » Expandable through SPH-5000 arms
- » Colour: black



SPH-1200

Expandable double frame keyboard stand

- » Double 30x20mm steel frame and 28mm tubular arms
- » Epossidic painting for great durability
- » Innovative sphere system for quick and accurate setting
- » Adjustable feet for maximum stability
- » Expandable through SPH-5000 arms
- » Colour: black



SPH-500

Universal additional keyboard arms

- » Innovative sphere mechanism
- » Frame: 30x20mm
- » Tubular arms: 28mm
- » Epossidic painting for great durability
- » Colour: black



KS-10

Single keyboard stand with adjustable height

- » Built in steel, sturdy and stable
- » Fits all kind of keyboard and small to medium size workstations
- » Epoxy painted to ensure the best protection and durability
- » Snap-in quick and easy height adjustment mechanism in 5 different position
- » Colour: Black



KS-60

Digital piano stand with height and width adjustment

- » Built in steel, with sturdy and stable construction
- » Conceived to hold digital pianos and workstations
- » Epoxy painted to ensure the best protection and durability
- » Height adjustment mechanism on each leg
- » Width adjustment mechanism to fit your instrument size
- » Foldable design for convenient carrying
- » Black finish



MICA-100

Adjustable additional mic stand for rounded frame stands

- » Material: metal
- » Rotating
- » Adjustable height
- » Adjustable arm length
- » Stand height (Min-Max): 37cm - 64cm
- » Arm length: (Min-Max): 8cm - 32cm
- » ABS cable holder
- » Finish: black



TSLK-100

Adjustable desk for keyboard/ laptop

- » Material: metal
- » Adjustable, fits all keyboard stands
- » Light and stable
- » Measurements: 31,5 x 51,5 cm
- » Weight: 1,4 kg
- » Finish: matte black



TSLK-200

Adjustable desk for keyboard/ laptop

- » Material: metal
- » Adjustable, fits all keyboard stands
- » Light and stable
- » Measurements: 31,5 x 73,5 cm
- » Weight: 2,3 kg
- » Finish: matte black

Music Stands



SMS-500-BK

Student foldable music stand with 3 setting points

- » Lyre classic design
- » Built in steel material with zinc fittings
- » Two height adjustment points and one for table angle
- » Totally foldable
- » Including carrying bag



SPMS-300

Orchestra music stand with "bayonet style" removable

- » Wide metal perforated table 47,5 x 34,5 cm
- » Easy & quick "Bayonet Style" table insert/removal
- » All metal construction
- » Tripod base with zinc block
- » Including carrying bag



STMS-200

Orchestra music stand with "bayonet style" removable

- » Wide metal table 47,5 x 34,5 cm
- » Easy & quick "Bayonet Style" table insert/removal
- » All metal construction
- » Tripod base with zinc block
- » Including carrying bag



SWMS-100

Orchestra music stand with removable wood plate and

- » Wood table brings a classic and elegant touch
- » Steel structure
- » Tripod base with foldable legs
- » Including carrying bag



MSA-100

Additional music stand for rounded frame keyboard stands

- » Material: metal
- » Foldable
- » Rotating
- » Adjustable height
- » Stand height (Min-Max): 20cm - 37cm
- » ABS cable holder
- » Finish: black



TMS-100-BK

Table music stand with bag

- » Foldable table music stand
- » Built in metal
- » Bag with handle for easy transportation
- » Light, compact, stable
- » Colour: black



TABSTAND-100

Tablet stand with microphone stand attachment clamp

- » ABS construction
- » Compatible with IPAD1, IPAD2 and most 10" tablets
- » Tablet holder with adjustable height
- » Holder with curved angles to hold the tablet safely
- » Turnable joint for landscape or portrait use
- » Adjustable clamp to attach with microphone or music stands
- » Including 5/8" thread adapter to fit table tripod stands
- » IPAD1 and IPAD2 are registered trademark of APPLE inc.



PHONESTAND-100

iPhone stand with microphone stand attachment clamp

- » ABS construction
- » Compatible with iPhone models 4/4s/5
- » iPhone holder with adjustable height
- » Holder with curved angles to hold the iPhone safely
- » Turnable joint for landscape or portrait use
- » Adjustable clamp to attach with microphone or music stands
- » Including 5/8" thread adapter to fit table tripod stands
- » iPhone is a registered trademark of APPLE inc.



SLG-10BK

Adjustable music stand lamp with power cable

- » Built in sturdy metal
- » Adjustable clamp, can be attached to music stand or table
- » Two tilt adjustable points to direct the illumination
- » Power cable with on/off switch
- » Light bulb included in the package
- » Painted black finish



SCL-1

Music stand lamp with clamp

- » Material: PUC
- » Clamp system
- » Gooseneck system allows spot adjustment
- » Battery: 2xAAA (included)



SCL-2

Double music stand lamp with clamp

- » Material: PUC
- » Clamp system
- » Double gooseneck system allows spot adjustment
- » Battery: 2xAAA (included)

Speakers

SSPS-50-BK

Aluminium speaker stand with 25mm pole mount

- » Alluminium body, lightweight and sturdy
- » 25mm pole mount
- » Screw blocking system with handle



SSPS-80-BK

Aluminium speaker stand with 35 mm pole mount and nylon

- » Lightweight, sturdy and anti corrosion alluminium construction
- » Reinforced nylon base joint
- » 35 mm pole mount, suitable for most speaker models
- » Screw locking system with handle
- » Metal safety pin system



SSPS-100-AL

Aluminium speaker stand with 35mm pole mount

- » Alluminium body, lightweight and sturdy
- » 35 mm pole mount
- » Screw blocking system with handle
- » Metal safety pin system

SSPS-100-BK

Aluminium speaker stand with 35mm pole mount

- » Alluminium body, lightweight and sturdy
- » 35 pole mount
- » Screw blocking system with handle
- » Metal safety pin system

SAFETY AIR SYSTEM

- » SSP-AIR series features "Safety Air System" ensuring smooth descending of the speaker for safe operating

SSP-AIR-BK

Aluminium speaker stand with Safety Air System

- » Alluminium body, lightweight and sturdy
- » "Safety Air System" ensure smooth descending of the speaker for safe operating
- » Reinforced steel base joint
- » 35 mm pole mount
- » Screw blocking system with handle
- » Metal safety pin system
- » Black finish

SSP-AIR-AL

Aluminium speaker stand with Safety Air System

- » Same features
- » Aluminium finish



SPST-SET80-BK

Speaker stand kit with carrying bag

- » Kit including 2 pcs SSPS-80-BK and carrying bag
- » Stands made of aluminium, lightweight and sturdy
- » Stands with 35mm pole mount, fitting most speakers
- » Stands are foldable for convenient carrying
- » Stands with metal safety pin
- » Carrying bag with handles



SPSTSET100-BK

Speaker stand kit with carrying bag

- » Kit including 2 pcs SSPS-100-BK and carrying bag
- » Stands made of aluminium, lightweight and sturdy
- » Stands with 35mm pole mount, fitting most speakers
- » Stands are foldable for convenient carrying
- » Stands with metal safety pin
- » Padded carrying bag with handles



WSS-08

Wall mount speaker stand with inclination adjustment pin

- » Fully built in metal material
- » 35mm pole mount
- » 4 wall fixing point with included screws
- » 180° horizontal adjustment for optimal direction
- » Inclination can be adjusted in 3 different position with safety pin



SUBST100-BK

Subwoofer mount speaker stand

- » Speaker stand with 35mm pole mount
- » Can be used with 35mm subwoofer socket
- » Built in rugged steel
- » Height adjustment through a screw blocking system with handle
- » Metal safety pin system



SSPAD-10

Speaker stand adaptor from 35mm to 25mm

- » Built in metal
- » To apply over the terminal of 35mm stand
- » Compatible with speaker with 25mm pole mount



SSPAD-20

Speaker mounting bracket in nylon material

- » Ultra resistant nylon construction
- » 4 screw holes with 70 mm diameter
- » Screw holes distance 70 and 150 mm
- » 2 oval inserts for M12 screws
- » 35mm pole socket with tightening handle
- » Dimensions (W x D x H): 179x110x80 mm
- » Colour: black



Microphones

SMICS-80-BK

Microphone boom stand with tripod base

- » Boom arm with angle & length adjustment
- » Quick & Easy height clutch adjustment mechanism
- » Base reinforced legs offers maximum resistance
- » 35cm legs to ensure optimum stability

SMICS-100-BK

Microphone boom stand with tripod base

- » Telescopic arm with distance and angle adjustment
- » Quick & Easy height clutch adjustment mechanism

SMICS-200-BK

Microphone boom stand with tripod base and metal joints

- » Arm with distance and angle adjustment
- » Quick & Easy clutch style height adjustment mechanism with Zinc handle

SMICS-300-BK

Microphone boom stand with tripod reinforced base and

- » Telescopic arm with distance and angle adjustment
- » Steel/Nylon tripod base with 100 Kg load capacity

SMICS-500-BK

Microphone stand with heavy cast-iron base

- » 250mm diameter cast-iron base
- » Quick & Easy clutch style height adjustment mechanism

SMICS-550-BK

Low level microphone boom stand with tripod base

- » Telescopic arm with distance and angle adjustment
- » Metal tripod base

» ONE HAND system allows height adjustment with just one hand

ONE HAND-100-BK

Mic stand featuring ONE HAND system and cast-iron base

- » ONE HAND system allowing height adjustment with just one hand
- » Round cast-iron base with antivibration ring
- » Metal stand
- » Finish: Matte Black

ONE HAND-200-BK

Mic stand featuring ONE HAND system and tripod base

- » Same features with Tripod base-

SMICS-600CR

Desktop microphone stand with cast iron base and telescopic boom

- » Cast Iron base, triangular shape
- » Telescopic arm with adjustable angle of 180°
- » Finish: chromed

SMICS-600BK

Desktop microphone stand with cast iron base and telescopic boom

- » Cast Iron base, triangular shape
- » Telescopic arm with 180 degrees adjustable angle
- » Finish: Black

MDS-10

Drink holder for microphone stand

- » Built in metal
- » Quick and safe attachment

ST-6

Recording microphone desktop stand

- » Folding and adjustable design
- » Built in rugged metal material
- » Desktop style mounting with clamp
- » Extension up to 1 meter
- » Adjustable in 270° angle
- » Suited for both vertical or horizontal installation
- » 6 meters XLR-XLR cable included

Piano Benches

SBH-103 series

» SBH-103 series features Satin finish piano bench with brown velvet seat and adjustable height. Classic and elegant appeal.



SBH-103U-BK

» Seat: black velvet
» Finish: glossy black



SBH-103U-SWA

» Seat: brown velvet
» Finish: satin walnut



SBH-103U-SRW

» Seat: brown velvet
» Finish: satin rosewood



SBH-103U-WH

» Seat: white velvet
» Finish: glossy white



SBH-103U-WA

» Seat: brown velvet
» Finish: glossy walnut



SBH-103U-SBK

» Seat: black sky
» Finish: satin black



SBH-103U-RW

» Seat: brown velvet
» Finish: glossy rosewood



SBH-103U-MH

» Seat: brown velvet
» Finish: glossy mahogany



SBH-103U-SMH

» Seat: brown velvet
» Finish: satin mahogany

Piano Benches

SBH-100 series

» SBH-100 series features Satin finish piano bench with brown velvet seat and adjustable height. Classic and elegant appeal.



SBH-100P-WA

» Seat: sky black
» Finish: glossy mahogany



SBH-100P-RW

» Seat: black sky
» Finish: glossy rosewood



SBH-100P-SRW

» Seat: black sky
» Finish: satin rosewood



SBH-100P-SWA

» Seat: black sky
» Finish: satin walnut



SBH-100P-SMH

» Seat: black sky
» Finish: satin mahogany



SBH-100P-SBK

» Seat: black sky
» Finish: satin black



SBH-100P-MH

» Seat: sky black
» Finish: glossy mahogany



SBH-100P-BK

» Seat: black sky
» Finish: glossy black



SBH-100P-WH

» Seat: white sky
» Finish: glossy white

Keyboard Benches

KB-1000 series



KB-1000

Adjustable metal piano bench

» Seat: black sky
» Colour: black

12 CABLES

Instrument cables

GO LINK series

» Soundsation GO-LINK series is a professional line of assembled cables born to provide full reliability for a wide range of applications. Built in Oxygen Free Copper, the GO-LINK series means quality construction, 100% effective shielding, preserved tone and rugged durability. Available for instruments, microphones, speakers, GO-LINKS series also includes cables for data transmission and digital applications.

GO-Link

Oxygen Free Copper Construction



BICJJ

Instrument cable
(jack mono - jack mono)

- » Length: 3 mt
- » Length: 6 mt
- » Length: 9 mt



BICMJJ

Instrument cable
(jack mono - jack mono)

- » Length: 3 mt
- » Length: 6 mt
- » Length: 9 mt



MICJJJ

Instrument cable
(jack mono - pipe jack mono)

- » Length: 6 mt



MICJJF

Unbalanced cable
(jack mono male - jack mono female)

- » Length: 6 mt



BICSJJ

Instrument cable
(jack stereo - jack stereo)

- » Length: 6 mt

Microphones cables

GO LINK series



BMCXJ

Microphone cable
(XLR male - jack)

- » Length: 5 mt
- » Length: 10 mt



BMCJX

Microphone cable
(XLR female - jack)

- » Length: 5 mt
- » Length: 10 mt



BMCXX

Microphone cable
(XLR male - XLR female)

- » Length: 2 mt
- » Length: 5 mt
- » Length: 10 mt
- » Length: 15 mt
- » Length: 20 mt

Speaker cables

GO LINK series



BPSPK

Speaker cable with speakon connectors

- » Connectors: female 4 pole speakon (x2)
- » Speaker cable: 2x1.5mm²
- » Length: 2 mt
- » Length: 5mt
- » Length: 10 mt
- » Length: 15 mt



BPCJJ

Speaker cable
(jack mono - jack mono)

- » Length: 10 mt
- » Length: 15 mt



BPCJX

Speaker cable
(XLR female - jack mono)

- » Length: 10 mt
- » Length: 15 mt



BPCXJ

Speaker cable
(XLR male - jack mono)

- » Length: 10 mt
- » Length: 15 mt




BPCXX

Speaker cable
(XLR female - XLR male)

- » Length: 10 mt
- » Length: 15 mt

Phono Feed cables


GO LINK series



PF100-5

Audio signal and electric power combination cable for active speakers (3x1.5mm², 5 mt)

- » XLR 3 pole female plug + Schuko 203A
- » XLR 3 pole male plug + EC standard 3 pole female socket
- » Power cable: 3x1.5mm²
- » Length: 5 mt
- » Length: 5 mt
- » Length: 15 mt
- » Length: 20 mt



PF200-5

Audio signal and electric power combination cable for active speakers (3x2.5mm², 5 mt)

- » XLR 3 pole female plug + Schuko 203A
- » XLR 3 pole male plug + EC standard 3 pole female socket
- » Power cable: 3x2.5mm²
- » Length: 5 mt
- » Length: 5 mt
- » Length: 15 mt
- » Length: 20 mt

Stompboxes cables

GO LINK series



MEPSET-100

Stomp box cables (6 pcs)

- » Length: 0.2 mt
- » Package: 6 pcs

Adaptors cables

GO LINK series



SJJJ-15BK

Adaptor cable (jack 3,5 stereo - 2 jack 6,3 mono/1,5 mt)

- » Length: 1,5 mt
- » Colour: blackLength: 3 mt
- » Length: 3 mt



SJRR-15BK

Adaptor cable (jack 3,5 stereo - 2 RCA male /1,5 mt)

- » Length: 1,5 mt
- » Colour: blackLength: 3 mt



JJRR-15BK

Adaptor cable (2 RCA male - 2 jack 6,3 mono/1,5 mt)

- » Length: 1,5 mt
- » Colour: blackLength: 3 mt
- » Length: 3 mt



RRRR-15BK

Adaptor cable (2 RCA male - 2 RCA male/1,5 mt)

- » Length: 1,5 mt
- » Colour: blackLength: 3 mt
- » Length: 3 mt



JRR-15BK

Adaptor cable (jack 6,3 stereo - 2 RCA male/1,5 mt)

- » Length: 1,5 mt
- » Colour: blackLength: 3 mt
- » Length: 3 mt



JJJ-15BK

Adaptor cable (1 jack 6,3 stereo - 2 jack 6,3 mono/1,5 mt)

- » Length: 1,5 mt
- » Colour: black

MIDI cables

GO LINK series



BMD-1BK

MIDI cable

- » Length: 1 mt
- » Length: 2 mt
- » Length: 2 mt
- » Length: 2 mt

USB

GO LINK series



U100-15

USB-A/USB-B cable (1,5 mt)

- » Type: USB-A/USB-B
- » Length: 1,5 mt
- » Length: 3 mt



U120-15

USB-A/USB-A cable (1,5 mt)

- » Type: USB-A/USB-A
- » Length: 1,5 mt
- » Length: 3 mt



U130-15

USB-A/USB-miniB cable (1,5 mt)

- » Type: USB-A/USB-miniB (1,5 mt)
- » Length: 1,5 mt

AES EBU & DMX cables

GO LINK series

BDCXX-10BK

AES/EBU&DMX cable

- » Totally shielded
- » Conductors: 2x0,34mm²
- » Diameter: 6,5mm
- » Length: 1mt



Cable Reels

GO LINK series



ICR1022-100

Instrument cable reel (100 mt)

- » Instrument cable
- » OFC construction (Oxygen Free Copper)
- » High conductivity
- » Mt: 100
- » Inner conductors: 2x0,34 mm²
- » Diameter: 6,5 mm



MCR2022-100

Balanced microphonic cable reel (100 mt)

- » Balanced microphonic cable
- » OFC construction (Oxygen Free Copper)
- » High conductivity
- » Mt: 100
- » Inner conductors: 2x0,34 mm²
- » Diameter: 6,5 mm



DCR2034-100

AES/EBU - DMX cable reel (100 mt)

- » AES/EBU - DMX cable
- » OFC construction (Oxygen Free Copper)
- » High conductivity
- » Mt: 100
- » Inner conductors: 2x0,34 mm²
- » Diameter: 6,5 mm



SCR220-100

Speaker cable reel (100 mt)

- » Passive speaker cable
- » OFC construction (Oxygen Free Copper)
- » High conductivity
- » Mt: 100
- » Inner conductors: 2x0,34 mm²
- » Diameter: 6,5 mm



SCR215-100

Speaker cable reel (100 mt)

- » Passive speaker cable
- » OFC construction (Oxygen Free Copper)
- » High conductivity
- » Mt: 100
- » Inner conductors: 2x2,0 mm²
- » Diameter: 6,5 mm

Connectors

GO LINK series



SJ01M

Metal connector (6.3" jack mono - 4pcs)

» Package: 4 pcs



SJ01S

Metal connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SJ037M

Metal pipe connector (3.5" jack mono - 4pcs)

» Package: 4 pcs



SJ037S

Metal pipe connector (3.5" jack stereo - 4pcs)

» Package: 4 pcs



SJ06M

XLR Female - 6.3mm Jack Female adapter (4 pcs set)

» XLR Female - 6.3mm Jack Female



SJ06S

Metal connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SJ024M

Metal connector (6.3" jack mono - 4pcs)

» Package: 4 pcs



SJ024S

Metal connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SXL01F

Satin metal connector (XLR 3 pole female - 4pcs)

» Package: 4 pcs

» Satin metal



SXL01M

Satin metal connector (XLR 3 pole male - 4pcs)

» Package: 4 pcs

» Satin metal



SXL04F

Black finish metal connector (XLR 3 pole female - 4pcs)

» Package: 4 pcs

» Black finish metal



SXL04M

Black finish metal connector (XLR 3 pole male - 4pcs)

» Package: 4 pcs

» Black finish metal



SJ02M

Metal connector (6.3" jack mono - 4pcs)

» Package: 4 pcs



SJ02S

Metal connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SXL025F

Chromed finish metal connector (XLR 3 pole female - 4pcs)

» Package: 4 pcs

» Chromed finish metal



SXL025M

Chromed finish metal connector (XLR 3 pole male - 4pcs)

» Package: 4 pcs

» Chromed finish metal



SJ033M

Metal pipe connector (6.3" jack mono - 4pcs)

» Package: 4 pcs



SJ033S

Metal pipe connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SJ029M

Metal pipe connector (6.3" jack mono - 4pcs)

» Package: 4 pcs



SJ029S

Metal pipe connector (6.3" jack stereo - 4pcs)

» Package: 4 pcs



SXL034F

Satin finish metal angled connector (XLR 3 pole female)

» Package: 4 pcs

» Satin finish metal



SXL034M

Satin finish metal angled connector (XLR 3 pole male)

» Package: 4 pcs

» Satin finish metal

Connectors

GO LINK series



SRCA018M

RCA male connector in black metal (4 pcs package)

- » Package: 4 pcs
- » Material: black metal



SRCA029F

RCA female connector in satin metal (4 pcs package)

- » Package: 4 pcs
- » Material: satin black



SRCA023M

RCA male connector in satin metal (4 pcs package)

- » Package: 4 pcs
- » Material: satin metal



SRCA030F

RCA female connector in satin metal (4 pcs package)

- » Package: 4 pcs
- » Material: satin metal



SRCA028F

RCA female connector in satin metal (4 pcs package)

- » Package: 4 pcs
- » Material: satin metal



SRCA026M

RCA male connector in satin metal (4 pcs package)

- » Package: 4 pcs
- » Material: satin metal



SRCA01M

RCA male connector in gold metal (4 pcs package)

- » Package: 4 pcs
- » Material: gold metal



SSPK01M

8 pole male speakon connector (4 pcs)

- » Package: 4 pcs
- » Material: ABS



SSPK02M

2-4 pole male speakon connector (4 pcs)

- » Package: 4 pcs
- » Material: ABS



SSPK03F

2-4 pole female speakon connector (4 pcs)

- » Package: 4 pcs
- » Material: ABS



SSPK04M

2-4 pole male speakon connector (4 pcs)

- » Package: 4 pcs
- » Material: ABS



SSPK05M

2-4 pole male speakon connector (4 pcs)

- » Package: 4 pcs
- » Material: ABS

Adaptors

GO LINK series



SADA04

XLR Female - 6.3mm Jack Female adapter (4 pcs set)

- » XLR Female - 6.3mm Jack Female
- » Metal construction
- » Set: 4 pcs



SADA06

XLR Female - 6.3mm Jack Male adapter (4 pcs set)

- » XLR Female - 6.3mm Jack Male
- » Metal construction
- » Set: 4 pcs



SADA08

XLR Female - 6.3mm Male balanced jack adapter (4 pcs)

- » XLR Female - 6.3mm Jack Male (balanced)
- » Metal construction
- » Set: 4 pcs



SADA010

XLR Female - 6.3mm Jack Female adapter (4 pcs set)

- » XLR Female - 6.3mm Jack Female
- » Metal construction
- » Set: 4 pcs



SADA012

XLR Female - RCA Male adapter (4 pcs set)

- » XLR Female - RCA Male
- » Metal construction
- » Set: 4 pcs



SADA051

XLR Female - 6.3mm Jack Female adapter (4 pcs set)

- » XLR Female - 6.3mm Jack Female
- » Metal construction
- » Set: 4 pcs



SADA05

XLR Male - 6.3mm Jack Female adapter (4 pcs set)

- » XLR Male - 6.3mm Jack Female
- » Metal construction
- » Set: 4 pcs



SADA07

XLR Male - 6.3mm Jack Male adapter (4 pcs set)

- » XLR Male - 6.3mm Jack Male
- » Metal construction
- » Set: 4 pcs



SADA09

XLR Male - 6.3mm Male balanced jack adapter (4 pcs set)

- » XLR Male - 6.3mm Jack Male (balanced)
- » Metal construction
- » Set: 4 pcs



SADA011

XLR Male - RCA Male adapter (4 pcs set)

- » XLR Male - RCA Male
- » Metal construction
- » Set: 4 pcs



SADA013

XLR Male - RCA Female adapter (4 pcs set)

- » XLR Male - RCA Female
- » Metal construction
- » Set: 4 pcs

Adaptors

GO LINK series



SADA028

6.3mm jack Male - RCA Female adapter (4 pcs set)

- » 6.3mm jack Male - RCA Female
- » Metal construction
- » Set: 4 pcs



SADA032

6.3mm jack Female - 6.3mm jack Male stereo adapter (4 pcs set)

- » 6.3mm jack Female - 6.3mm jack Male stereo
- » Metal construction
- » Set: 4 pcs



SADA034

3.5mm jack Female - 6.3mm jack Male stereo adapter (4 pcs set)

- » 3.5mm jack Female - 6.3mm jack Male stereo
- » Metal construction
- » Set: 4 pcs



SADA036

6.3mm jack Male stereo - 6.3mm jack Female stereo adapter (4 pcs set)

- » 6.3mm jack Male stereo - 6.3mm jack Female stereo
- » Metal construction
- » Set: 4 pcs



SADA039

6.3mm jack Male - 2 x 6.3mm jack Female adapter (4 pcs set)

- » 6.3mm jack Male - 2 x 6.3mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA031

6.3mm jack Male - 6.3mm jack Female adapter (4 pcs set)

- » 6.3mm jack Male - 6.3mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA033

6.3mm jack Male - 3.5mm jack Female adapter (4 pcs set)

- » 6.3mm jack Male - 3.5mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA035

3.5mm jack Male - 6.3mm jack Female adapter (4 pcs set)

- » 3.5mm jack Male - 6.3mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA038

3.5mm jack Male stereo - 3.5mm jack Female stereo adapter (4 pcs set)

- » 3.5mm jack Male stereo - 3.5mm jack Female stereo
- » Metal construction
- » Set: 4 pcs



SADA040

6.3mm jack Male stereo - 2 x 6.3mm jack Female adapter (4 pcs set)

- » 6.3mm jack Male stereo - 2 x 6.3mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA042

3.5mm jack Male stereo - 2 x 3.5mm jack Female adapter (4 pcs set)

- » 3.5mm jack Male stereo - 2 x 3.5mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA044

2 x RCA Female - 3.5mm jack Male stereo adapter (4 pcs set)

- » 2 x RCA Female - 3.5mm jack Male stereo
- » Metal construction
- » Set: 4 pcs



SADA046

2xRCA Female - RCA Male adapter (4 pcs set)

- » 2xRCA Female - RCA Male
- » Metal construction
- » Set: 4 pcs



SADA048

2 x RCA Female - 6.3mm jack Male adapter (4 pcs set)

- » 2 x RCA Female - 6.3mm jack Male
- » Metal construction
- » Set: 4 pcs



SADA041

3.5mm jack Male - 2 x 3.5mm jack Female adapter (4 pcs set)

- » 3.5mm jack Male - 2 x 3.5mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA043

2 x RCA Female - 3.5mm jack Male stereo adapter (4 pcs set)

- » 2 x RCA Female - 3.5mm jack Male
- » Metal construction
- » Set: 4 pcs



SADA045

2xRCA Female - RCA Female adapter (4 pcs set)

- » 2xRCA Female - RCA Female
- » Metal construction
- » Set: 4 pcs



SADA047

3.5mm jack Male stereo - 2 x 6.3mm jack Female adapter (4 pcs set)

- » 3.5mm jack Male stereo - 2 x 6.3mm jack Female
- » Metal construction
- » Set: 4 pcs



SADA049

DMX adapter (4 pcs set)

- » Poles: 5F-3M
- » Metal



SADA050

DMX adapter (4 pcs set)

- » Poles: 3F-5M
- » Metal

Stageboxes

GO LINK series



SGBX10-0008

8 inputs 15 meters professional stage box

- » Input: 8 XLR 3 pole female
- » Independent earth plugs
- » Hi quality XLR connectors Yongsheng by Neutrik/
- » Metal box
- » Multicore cable length: 15 mt
- » Cable mount connection protected with PVC jackets



SGBX20-1204

Professional aluminium stage box featuring 16 in/ 4 out

- » Input: 16 XLR 3 pole female
- » Output: 4 XLR 3 pole male
- » Yongsheng by Neutrik/ connectors
- » Multicore audio cable shielded with aluminium foil
- » Independent earth plugs
- » XLR fixed in the PC board
- » Multicore Cable length: 15 mt



SGBX20-1604

Professional aluminium stage box featuring 16 in/ 4 out

- » Input: 16 XLR 3 pole female
- » Output: 4 XLR 3 pole male
- » Yongsheng by Neutrik/ connectors
- » Multicore audio cable shielded with aluminium foil
- » Independent earth plugs
- » XLR fixed in the PC board
- » Multicore Cable length: 20 mt



SGBX20-2408

Professional aluminium stage box featuring 24 in/ 8 out

- » Input: 24 XLR 3 pole female
- » Output: 8 XLR 3 pole male
- » Yongsheng by Neutrik/ connectors
- » Multicore audio cable shielded with aluminium foil
- » Independent earth plugs
- » Aluminium box with integrated handle
- » XLR fixed in the PC board
- » Multicore cable length: 30 mt

Power Supplies



PSU-10

Regulated PSU supplier for stompboxes

- » Regulated, wide compatibility
- » Output: 1 DC 900mA
- » Negative pole at center
- » ErP compliant



PSU-30

Switching multitension PSU (1000mA)

- » convert to DC Power 3/4.5/5/6/7.5/ 12V
- » EuP compliant, ErP 2nd stage compliant
- » Short Circuit Protection
- » Automatic Overload Cutoff



PSU-20

Switching multitension PSU (600mA)

- » convert to DC Power 3/4.5/5/6/7.5/ 12V
- » EuP compliant, ErP 2nd stage compliant
- » Short Circuit Protection
- » Automatic Overload Cutoff



USB all

Universal USB switching adaptor to wall socket (EU)

- » USB universal Switching adaptor 1000 mA
- » Work with any standard USB powered device
- » Compliant with EN62684:2010 (EU standard for data-enabled mobile phones)



FMUSB

Micro USB add-on outplug for power supply PSU-20/PSU-30

- » Female Micro USB detachable plug
- » 5VDC / 1000mA
- » Micro USB



FNUSB

Mini USB ADD-ON Outplug for power supply PSU-20/PSU-30

- » Mini USB detachable plug
- » 5VDC / 1000mA
- » Mini USB



FUSB

female USB ADD-ON outplug for power supply PSU-20/PSU-30

- » Female USB detachable plug
- » 5VDC / 1000mA
- » USB type A



www.soundsationmusic.com



a division of
FRENEXPORT SpA

Via Enzo Ferrari 10 - 62017 Porto Recanati - ITALY

info@soundsationmusic.com

SOUNDSATION is a registered trademark of FRENEXPORT SpA. All rights reserved.